UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/552,263	09/12/2006	Frank Duvinage	095309.56876US	6775
23911 7590 12/10/2008 CROWELL & MORING LLP INTELLECTUAL PROPERTY GROUP P.O. BOX 14300 WASHINGTON, DC 20044-4300			EXAMINER	
			NGUYEN, TU MINH	
			ART UNIT	PAPER NUMBER
			3748	
			MAIL DATE	DELIVERY MODE
			12/10/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/552,263	DUVINAGE ET AL.		
Office Action Summary	Examiner	Art Unit		
	TU M. NGUYEN	3748		
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (36(a). In no event, however, may a reply be tirwill apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
1) ☐ Responsive to communication(s) filed on <u>14 A</u> 2a) ☐ This action is FINAL . 2b) ☐ This 3) ☐ Since this application is in condition for allowa closed in accordance with the practice under B	s action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) 15-37 is/are pending in the applicatio 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) 15-37 are subject to restriction and/or	wn from consideration.			
Application Papers				
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposed applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	cepted or b) objected to by the drawing(s) be held in abeyance. Set tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D: 5) Notice of Informal F 6) Other:	ate		

DETAILED ACTION

1. An Applicant's Amendment filed on August 14, 2008 has been entered. Claims 15-37 have been amended and are pending in this application.

Election/Restrictions

2. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows: the species of Figure 1, the species of Figure 2, the species of Figure 3, the species of Figure 4, and the species of lines 9-14 on page 19 of the specification.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Application/Control Number: 10/552,263 Page 3

Art Unit: 3748

3. The claims are deemed to correspond to the species listed above in the following manner:

- Claims 15-19 appear to read on the species of Figure 1 or Figure 3.
- Claims 20-24 appear to read on the species of lines 9-14 on page 19.
- Claims 25-29 appear to read on the species of Figure 2.
- Claims 30-31 appear to read on the species of Figure 4.
- The following claim(s) are generic: claims 32-37.
- 4. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: each species is mutually exclusive to a different invention, wherein:
- The species of Figure 1 or Figure 3 is drawn to an aftertreatment device having an SCR catalytic converter (3) located downstream of a NOx storage catalytic converter (2).
- The species of lines 9-14 on page 19 is drawn to an aftertreatment device having an SCR catalytic converter (3) located upstream of a NOx storage catalytic converter (2).
- The species of Figure 2 is drawn to an aftertreatment device having an integrated catalytic converter (6) that is operable to perform the functions of a NOx storage catalytic converter and an SCR catalytic converter.
- The species of Figure 4 is drawn to an aftertreatment device having a DENOX catalytic converter (8) located downstream of a reforming unit (1).

Application/Control Number: 10/552,263 Page 4

Art Unit: 3748

5. Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Application/Control Number: 10/552,263 Page 5

Art Unit: 3748

Communication

6. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Examiner Tu Nguyen whose telephone number is (571) 272-

4862.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mr. Thomas E. Denion, can be reached on (571) 272-4859. The fax phone number

for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private

PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Tu M. Nguyen/

TMN Tu M. Nguyen

December 6, 2008 Primary Examiner

Art Unit 3748